



AHT/Multipurpose tug "ARAL"

2028 KWT – LMC -UMC– AHTS

ENKA İNŞAAT VE SANAYİ A.Ş.

No.1, S. Zhangabyluly, Bautino, 130502, Tupkaragan
Region, Mangistau Oblast, Republic of Kazakhstan
Phone: +7 72938 24 808, Fax: +7 72938 24 000
marine@enka.com
www.enka.com

SHIP SPECIFICATION "ARAL"

CLASS AND FLAG DATA

Type	Tug
Year built / Shipyard	2004/ Netherlands
Class	BV
Class symbol	I ± HULL • MAC Tug Unrestricted Navigation ± AUT -UMS
Flag	Kazakhstan
Port of registry	Aktau
Call sign	UQT
IMO number / or Class number	9313979

DIMENSIONS

Length (overall)	28,16
Length (between perpendicular)	25,57
Breadth (moulded)	9.5 m
Depth (moulded)	3.1 m
Draft (summer)	2.5 m
Minimal operational draft	2.2 m
Deadweight	141.3 tons
Registered gross tonnage	224

MACHINERIES

Main engines	2 x Cat 3512 DITA- 1014 kW each
Auxiliary diesel-generators	1 x 340 kVa Cat 3408 DITA 2 x 65 kVaJonh Deere
Bow thruster	VETH VT-150/ 160 kW
CPP / FPP and Rudder(s)	Twin screw fixed pitch propeller in nozzles, rudders
Steering gear	Manufacturer : Flexion Model:HYD-10-001-02B Proj Nr:628805

AUXILIARY EQUIPMENT

Oily water separator	DVZ 250 VC-OIMASTER / 1pc.
Water distiller	H.E.M DESALINATION SYSTEM SERIES 25 / 1pc.

ANCHOR AND MOORING EQUIPMENT

Anchor windlass	MENAROM S.A- Type 2 VAT – E20.5k2- Nominal pull :22KN
Anchors	Type: Schmitt high holding fully balanced stockless high holding power anchor / 455 kg / 2 pcs
Chains (length, caliber)	Total length:412,5 m – Port side :7 shackles, Stb.side 8 shackles / Dia : 20,5mm
Capstan	Type: LK EP 5000 (RR 810T/IEC132-4) Load Pull : 5000 kg

TOWING AND ANCHOR HANDLING EQUIPMENT

Towing winch / drum	tow / anchor handling double drum winch SWL 30t (50t hold)
AH winch / drum	tow / anchor handling double drum winch SWL 30t (50t hold)
Towing wire dimensions and SWL/ BL	670 m x 38 mm / SWL:20,6 ton / BL :103 ton
AH wire dimensions and SWL/ BL	400 m x 38 mm / SWL:20,6 ton / BL :103 ton
Stern roller	700 x 5200 mm
Towing pins	2

**All the details are believed to be correct but not guaranteed and owners reserve the right to amend them*

SHIP SPECIFICATION "ARAL"

TANKS FULL CAPACITIES

Fuel tanks	105,01 m ³
Oil tanks	1,9 m ³
Fresh water tanks	38,1 m ³
Sewage water tanks	12,53 m ³
Oily bilge water tanks	7,52 m ³
Oil residues (sludge) tanks	1,9 m ³

TRANSFER RATES

Fuel	30 m ³ per hr
Fresh water	30 m ³ per hr
Sewage water	10 m ³ per hr
Fire main	32 m ³ per hr
Emergency fire motor pump	24 m ³ per hr
Oily bilge water	3 m ³ per hr
Oil residues (sludge)	3 m ³ per hr

DECK CAPACITY

Clear deck dimensions (L x B)	11 x 9 m
Clear deck area	99 m ²

DECK CRANE(S)

Manufacturer	HEILA / HLRM 140-3S
SWL	10 ton
Location	Aft deck

PERFORMANCE

Maximum speed / consumption	12 knots / 8,4 tons
Economical speed / consumption	10 knots / 5,7 tons (with towing) / 4,3 tons (without towing)
Stand-by consumption	0,3 tons
Bollard pull	28.2 tons

NAVIGATION AND COMMUNICATION

GMDSS area	[A1 +A2]
Radar 1	Furuno FR-1500 Mark 3 ARPA
Radar 2	Radio Holland RHRS- 2005RC Riverradar
AIS	ACR NAUTICAST X – PACK AIS
EPIRB	JONTRON AS – 40S s/n: 120AD50147
Radar transponder	JOTRON TRON SART
VHF radio station	2 x FURUNO FM 8500
MF/HF radio station	Furuno FS-1570 SSB
Two-way portable VHF	Samyung STV- 160-I Samyung STV- 160-II
Magnetic compass	Kelvin Hughes Pilot MK 4 s/n: 61997
Gyro compass	TOKIMEC ES-160
Satellite compass	Furuno SC-60
Auto pilot	Seaplot - 75
NAVTEX receiver	Furuno NX-500
GPS receiver	Furuno GP-80
Echo sounder	ELAC LAZ 5000
Speed log	Furuno DS-80
Satcom	Thuraya SF2500

**All the details are believed to be correct but not guaranteed and owners reserve the right to amend them*

SHIP SPECIFICATION "ARAL"

FIREFIGHTING EQUIPMENT AND POLLUTION PREVENTION EQUIPMENT

Fireman outfit	2
Portable fire extinguishers	9
Fire hoses and nozzles	4 fire hoses, 4 nozzle
Fire pump	DESMI K&R Pompen B.V
Emergency fire pump	HATZ-DIESEL 1B20 / 1B30
Fixed fire-fighting system	CO ₂
Oil spill kit	1

LIFE-SAVING APPLIANCES

Inflatable life raft	3 x 6 persons
Life buoy	6
Life jacket	10
Immersion suit	8
Recovery sling	Markus net 1.5 x 1.5 x10

ACCOMMODATION

Number of persons for which LSA are provided	8
Number of crew for safe operation / passengers	7 / 1
One-bed cabin	4
Two-bed cabin	2
Mess room	1
Galley	1


TANK NAME

100% CAPACITY

Fuel tank №1	11,05 m ³
Fuel tank №2	11,05 m ³
Fuel tank №3	11,35 m ³
Fuel tank №4	11,35 m ³
Fuel tank №5	10,11 m ³
Fuel tank №6	10,11 m ³
Fuel tank №7	8,02 m ³
Fuel tank №8	8,02 m ³
Fuel tank №9	13,04 m ³
Fuel tank №10	10,91 m ³
Oily bilge water tank №11	7,52 m ³
PS FW tank	11,38 m ³
SBT FW tank	11,38 m ³
Central FW tank	15,34 m ³
Sewage tank	12,53 m ³
Lub Oil tank	1,9 m ³
Dirty Oil tank	1,9 m ³

**All the details are believed to be correct but not guaranteed and owners reserve the right to amend them*

SHIP SPECIFICATION "ARAL"



**All the details are believed to be correct but not guaranteed and owners reserve the right to amend them*