



## Multicat "GOKSU"

*882 KWT – Special service – Anchor handling*

**ENKA İNŞAAT VE SANAYİ A.Ş.**

No.1, S. Zhangabyluly, Bautino, 130502, Tupkaragan  
Region, Mangistau Oblast, Republic of Kazakhstan  
Phone: +7 72938 24 808, Fax: +7 72938 24 000  
marine@enka.com  
[www.enka.com](http://www.enka.com)

# SHIP SPECIFICATION "GOKSU"

## CLASS AND FLAG DATA

Type	Special service, workboat
Year built / Shipyard	1999, the Netherland
Class	BV
Class symbol	I ♣ HULL • MACH Special service / Work boat / Coastal area
Flag	Kazakhstan
Port of registry	Aktau
Call sign	UNAX
IMO number / or Class number	9289996

## DIMENSIONS

Length (overall)	20.1 m
Length (between perpendicular)	18,8 m
Breadth (moulded)	8,0 m
Depth (moulded)	2,7 m
Draft (summer)	2, 3 m
Minimal operational draft	1.9 m
Deadweight	100 tons
Registered gross tonnage	102

## MACHINERIES

Main engines	2x 441 kW, VOLVO PENTA TAMD 165A
CPP / FPP and Rudder(s)	Twin screw fix. pitch prop. in nozzles, rudders
Steering gear	"KRAMPE and Co.GHBH Hamm-Pelkum"

## ANCHOR AND MOORING EQUIPMENT

Anchors	1 - D' HONE SPECIAL
Chains (length, caliber)	90 m x 16 mm

## TOWING AND ANCHOR HANDLING EQUIPMENT

AH winch / drum	Type BB85BSD000, "HaggLunds", Anchor handling double, SWL – 15 t
AH wire (main) dimensions and SWL / BL	50 m x 36mm; SWL-10.6t; MBL-92,1t
AH wire (spare) dimensions and SWL / BL	49,7 m x 20mm; Test Load -10,2 t
Bow roller	yes
AH pins	2 (bow)
Tugger winch	8 Tons

## TANKS FULL CAPACITIES

Fuel tanks	38.294 m <sup>3</sup>
Oil tanks	0.515 m <sup>3</sup>
Fresh water tanks	28.538 m <sup>3</sup>
Ballast water tanks	32.333 m <sup>3</sup>

## TRANSFER RATES

Fresh water	12 m <sup>3</sup> per hr
Sewage water	4 m <sup>3</sup> per hr

## DECK CAPACITY

Deck strength	2 tons per m <sup>2</sup>
Clear deck dimensions (L x B )	8 x 4.4 m
Clear deck area	86 m <sup>2</sup>

## DECK CRANE(S)

Manufacturer	Effer Knuckle Boom ship deck crane
SWL	7.5 ton
Location	In the bow

*\*All the details are believed to be correct but not guaranteed and owners reserve the right to amend them*

# SHIP SPECIFICATION "GOKSU"

## PERFORMANCE

Maximum speed / consumption	9/2.1 kts/tons
Economical speed / consumption	6/1.7 kts/tons
Bollard pull	14.7 tone

## NAVIGATION AND COMMUNICATION

GMDSS area	A1
Radar 1	FURUNO FR-7062
AIS	NUTICAST X-PACK DS
EPIRB	JOTRON TRON-40S
Radar transponder	JOTRON TRON SART
VHF radio station	DSC encoder FM-8500
	DCS FM-8500
	FM-8500
Two-way portable VHF	2x SAMYUNG STV-160
Gyro compass	FURUNOSC-50
GPS compass	Furuno SC-502, s/n 005830
Auto pilot	Seapilot 75
NAVTEX receiver	FURUNO NX-500
GPS receiver	FURUNO GP-80
Echo sounder	FURUNO FVC-582L

## FIREFIGHTING EQUIPMENT AND POLLUTION PREVENTION EQUIPMENT

Portable fire extinguishers	9
Fire hoses and nozzles	2 fire hoses, 2 nozzles
Fixed fire-fighting system	CO <sub>2</sub>
Oil spill kit	1

## LIFE-SAVING APPLIANCES

Inflatable life raft	2 x 6, 1x 25
Life buoy	6
Life jacket	9 + additional if necessary
Immersion suit	7 + additional if necessary

## ACCOMMODATION

Number of crew for safe operation / passengers	4 at twelve hours shift / 12 for short voyages only
One-bed cabin	1
Two-bed cabin	2


## TANK NAME

## 100% CAPACITY

Tank ballast water SbS	7.061 m <sup>3</sup>
Tank ballast water PS	7.061 m <sup>3</sup>
Lub.oil tank CL	0.103 m <sup>3</sup>
Lub.oil tank SbS	0.103 m <sup>3</sup>
Lub.oil tank PS	0.309 m <sup>3</sup>
Fuel tank SbS 1	8.085m <sup>3</sup>
Fuel tank PS 1	8.085 m <sup>3</sup>
Fuel tank SbS 2	11.062 m <sup>3</sup>
Fuel tank PS 2	11.062 m <sup>3</sup>
Fresh water tank SbS	14.269 m <sup>3</sup>
Fresh water tank PS	14.269 m <sup>3</sup>
Ballast water tank CL	18.211 m <sup>3</sup>
Dirty water tank PS	0.566 m <sup>3</sup>
Dirty oil tank SbS	0.566 m <sup>3</sup>

*\*All the details are believed to be correct but not guaranteed and owners reserve the right to amend them*

# SHIP SPECIFICATION "GOKSU"



*\*All the details are believed to be correct but not guaranteed and owners reserve the right to amend them*